





SİSTEMLER KATOLOĞU



STANDARD PROFİLLER

BORU


Profil No	D mm	d mm	s mm	Kg/m
1047	8	5	1.5	0.083
3099	8	6	1.0	0.058
5620	9.2	6.5	1.35	0.090
1573	10	5	2.5	0.160
3098	12.5	9.1	1.7	0.156
2618	13	10.6	1.2	0.121
4090	14	12	1.0	0.111
3112	14.6	10	2.3	0.241
4133	15.8	5	5.4	0.478
916	15.8	6	4.9	0.454
471	15.8	7	4.4	0.427
3148	15.8	8	3.9	0.395
562	15.8	9	3.4	0.359
492	15.8	9.8	3.0	0.327
1234	15.8	12	1.9	0.224
2878	15.8	13	1.4	0.172
925	16	12	2.0	0.240
5737	17	15	1.0	0.136
4349	18.15	14.15	2.0	0.275
1229	18.3	16.3	1.0	0.147
3097	19	13	3.0	0.409
976	19	14	2.5	0.353
919	19	16.6	1.2	0.181
2687	19.4	16.4	1.5	0.229
914	19.8	12.2	3.8	0.517
915	20	5	7.5	0.795
2610	20	7	6.5	0.747
977	20	12	4.0	0.545
1572	20	14	3.0	0.434
905	20	15	2.5	0.372
4901	20	16	2.0	0.307
3922	20	17.6	1.2	0.192
5736	21.5	19.5	1.0	0.175
2563	20	18	1.0	0.163
4278	22	19	1.5	0.261
4775	22	18	2.0	0.341
926	22	16.4	2.8	0.458
2974	24	5	9.5	1.173
2662	24	7	8.5	1.122
699	24	14	5.0	0.810
698	24	16.5	3.75	0.647
979	24	18	3.0	0.537
918	25	22.4	1.3	0.262
3729	25	22	1.5	0.300
901	25	18.5	3.25	0.602
927	27.5	22.4	2.55	0.542
4746	28	25	1.5	0.338
906	29.5	20	4.75	0.999
1582	29.5	25	2.25	0.550
3753	30	6	12.0	1.839
931	30	10	10.0	1.702
924	30	14.1	7.95	1.492
2177	30	16.5	6.75	1.336
2477	30	20	5.0	1.065

BORU


Profil No	D mm	d mm	s mm	Kg/m
978	30	22	4.0	0.886
908	30	24	3.0	0.690
1571	30	26	2.0	0.477
3327	30	27	1.5	0.364
1017	35	6.5	14.25	2.517
995	35	8.5	13.25	2.452
904	35	28.5	3.25	0.879
1575	35	29	3.0	0.817
4124	35	29.6	2.7	0.743
4778	35	30	2.5	0.692
476	35	30.3	2.35	0.653
3326	35	31	2.0	0.562
5726	35	32	1.5	0.428
5609	35	33	1.0	0.290
5667	36	30	3.0	0.843
1012	40	30.5	4.75	1.425
910	40	35	2.5	0.798
3826	40	36	2.0	0.647
2906	40	37.4	1.3	0.428
1015	40.2	10	15.1	3.296
3839	40.2	13	13.6	3.080
1420	44.3	40.3	2.0	0.720
903	44.8	20.5	12.15	3.377
5666	45	37	4.0	1.396
4052	45	35	5.0	1.702
5326	45	9	18.0	4.137
2059	47	20.5	13.25	3.807
755	50	47.4	1.3	0.541
2622	50	47	1.5	0.620
2984	50	46.4	1.8	0.738
896	50	46	2.0	0.817
3066	50	45.6	2.2	0.895
917	50	45	2.5	1.011
932	50	44.1	2.95	1.182
4719	50	41	4.5	1.743
2068	50	10	20.0	5.108
3812	50	7	21.5	5.217
2938	51.5	41	5.25	2.067
2845	53	40.5	6.25	2.488
3820	53.5	50.5	1.5	0.664
3119	54	38	8.0	3.133
2846	54.5	50.5	2.0	0.894
2799	55	40.5	7.25	2.947
1016	55.3	50.3	2.5	1.123
1276	56.5	52.5	2.0	0.928
2663	60	58	1.0	0.503
593	60	56	2.0	0.987
909	60	55	2.5	1.223
563	60	54	3.0	1.455
3924	60	50	5.0	2.341
1014	60	20.5	19.75	6.767
1295	63.5	60.5	1.5	0.792
968	65	60.3	2.35	1.254
4054	67	22.5	22.3	8.476

